



聯鴻興業有限公司

Lain Hong Shing Yeh Co.,Ltd

No.235-61, Zhuzijiao, Xinhua Dist., Tainan City 71244, Taiwan (R.O.C.)

TEL +886-6-598-1079 / 1089 FAX +886-6-595-1015 CELL +886-911-742-569

E-MAIL JohnChen924@lian-xiang.com.tw LH5958625@gmail.com



Lain Hong Shing Yeh Co., Ltd

In 2004, our founder was established Lain Hong Shing Yeh Co., Ltd in Tainan County, the south of Taiwan. In the initial stage, we are focused on small OEM thermal compress products and other foamrelated process products.

as we had invest a lot of money in development and machines and cooperated with many well known enterprises, also in response to the consumer trends changes, in July, 2018, we had move to XinHua District, Tainan Cityo

To increase the production capacity, we had purchase many processing machines and 3D CNC machines in order to coordinate and satisfy our client's sales, product quality and specification needs.

Placing consistent emphasis on quality, environmental protection and product safety, we had involve in many industry such as sports, fitness, medical, construction, semiconductor even car industry. Lain Hong had obtain the ISO 9001, ISO 14000, SA 8000 and other professional certifications. Full range of products has also been accredited with EU RoHS, REACH, PAHs Free and FDA test approvals.; specific products have passed the US UL94-V0 fire retardant, halogen-free and other test approvals to ensure client's product meets the regulation.

Management Team

Our Management Team holds the principle of honesty, innovation, and service to achieve the sustainable operation and growth for our company.

Company Prospect

In the future, we are hoping to enhance the Competitiveness, so we can achieve sustainable operation in this field.

Lain Hong is dedicated to products excellence and continuous innovation. We constantly exceed customer's expectations by providing the greatest value and quality worldwide.

We will faithfully make the products according to your requirement.



ISO90001:2008



賣業藥商許可執照 南市藥販字第6205060168號



: 衛部醫器製賣字第005418號



CE-EMC Compliance號



Foam Roller Patent



Handheld Foam Roller Patent (US)



Handheld Foam Roller Patent (German)



EVA REACH Test Report



EVA Formamine Test Report



EVA FDA Ceritification Test Report




ASTM G21 Anti-Fungal Test Report



Rescue Tube Buoyancy Test

HYPVOLL Vibration Roller 👔 ios / 🖷







Bluetooth Connection



3 Vibration Mode



5 Intensity vibration Speed




6 Massage Course



Compatible with your Smartphone and Tablets.

- Hold the Button 5 seconds to turn on the Bluetooth on your HYPVOLL Roller.
- Turn on the Bluetooth on your Cellphone and search for HYPVOLL Roller.
- Enjoy your personal massagist.







A. Application

- For each time you turn HYPVOLL on, the product will work for 10 minutes and stop automatically. (You can press the switch on for a continuous use.).
- HYPVOLL has 5 Pre-set speeds Mode. (Low Medium High and Hyper)
- Please adjust the time of use in the initial phase according to your personal condition.
- Please hold the middle of the product or two sides end during exercise.

B. Precautions

- The product is not suitable for pregnant women and children aged under 12 years old.
- Each use with vibration roller shall not exceed 20 minutes. Any itching feels during the process is normal. Please apply the product to the part of your body for a length of time according to your personal condition.
- The product is not a medical device.
- Do not stand onto the product and/or use it in any wrong method.
- The product is powered by Lithium-ion polymer batteries. Please remove the charging cable after the batteries is fully charge, if you are not to use it for a long time; Avoid storing the product in direct sunlight and keep the product in a space with no more than 60% relative humidity.
- Please consult with your physician prior to use if you have any chronic illness and/or feel unwell.

C. Steps to use

a. How to exercise your lower belly and side thigh muscles

Please sit on a chair and clip the product with your thighs. This will stimulate your lower belly and side thigh muscles.

b. How to exercise your shoulders, arms and back muscles

Please stretch your arms in diverse directions and angles. This will stimulate your arms and back muscles effectively.

D. Purposes

- The product is a fitness device with vibration available.
- Vibration during stretching exercise can double the effect.
- The product can be use as weight for shaping the arm muscle and for stretching, the product is fit for eurhythmics and any stretches. Refer to the vibration function, you can massage to loosen your muscle pain and remove the lactate after the exercise.
- The product as a massager can massage and loosen your thigh, calf, back, belly and shoulder muscles.

F. Characteristics

- The product is a good-looking design, handy, light weight and portable for exercise and health
- The weight with vibration offers you the opportunity to exercise at any place and at any time, on the sofa, chair, wall, floor, even when you sitting in the office to relieve the stress and fatigue.

F. Storage

- The product is not waterproof. Do not soak it in the water.
- Use wet cloth to wipe out the dirt on the surface. Do not wash it with tap water.
- Do not store it in any place with high temperature and high humidity and under direct sunshine. Please keep it out of reach of children.

38cm Hollow Core Massage Grid Foam Roller

Model FE00-HCGR01

Material EVA&PE + ABS Pipe

Measures 38cm in Length × 14cm in Diameter

Hardness $25^{\circ} \sim 45^{\circ} \pm 3^{\circ}$ Shore C

Accessories Carrying Bag, Massage Ball

Cover Cap, Hand Grip (Optional)













33cm Hollow Core Massage Foam Roller - Shape Cone

Model FE02-HCMR33

Material EVA&PE + ABS Pipe

Measures 33cm in Length × 14cm in Diameter

Hardness 25°~45° ± 3° Shore C

Accessories Carrying Bag, PU Massage Ball

Cover Cap, Hand Grip (Optional)

15cm Aluminum Core Mini Massage Roller

Model FE090-ACMR01

Material EVA&PE + Aluminum Pipe

Measures 15.5cm in Length × 6cm in Diameter

Hardness 25°~45° ± 3° Shore C



Standard Colour

- Suitable for those needs to travel around, easy to carry, hollow core can use for storage things or cloth to save more space in your luggage.
- Several unique designs pattern, different then those flat design rollers, it gives clear feeling while you roll onto it.
- Using the roller to do the massage therapy is much better than taking drugs.
- Achieve in batter rehabilitation, longer Sporting career and lifestyle.

o

Foot Massage Roller

Model FE092-MRW21 Material EVA*&PE + PU

Measures 21cm (L) x 7cm Diameter ± 0.3cm

Wheel PU or PP+PU

Hardness 20°~60° ±5° shore C are available

Colour All Colour available

Foot Massage Roller X

Model FE092-MRW22 Material EVA*&PE + PU

Measures 21cm (L) x 7cm Diameter ± 0.3cm

Wheel PU or PP+PU

Hardness 20°~60° ±5° shore C are available

Colour All Colour available

Hydro Bottle Roller

Model FE08-HBR001

Material EVA*&PE + 304 Stainless Steel

Measures 500ML: 17cm (H) x 9cm Diameter ± 0.3cm

750ML: 23cm (H) \times 9cm Diameter \pm 0.3cm

1000ML: 23cm (H) x 10cm Diameter ± 0.3cm

Foam: 12mm (T)

Hardness 20°~60° ±5° shore C are available

Colour All Colour available



Massage Stick

Model FE093-MRS33

Material EVA*&PE \ PP \ Steel

Measures 33cm (L) x 7cm Diameter \pm 0.3cm Hardness 20 $^{\circ}$ ~60 $^{\circ}$ \pm 5 $^{\circ}$ shore C are available

Colour All Colour available

Accessories Adjustable wheel (S) & (L)

Massage Stick X

Model FE093-MRS33

Material EVA*&PE \ PP \ Steel

Measures 47cm (L) x 7cm Diameter ± 0.3cm Hardness 20°~60° ±5° shore C are available

Colour All Colour available

Accessories Adjustable wheel (S) & (L)

Du-Ball (Peanut Ball)

Model FE70-DMB01 Material EVA*&PE

Measures 16cm (L) x 78mm Diameter ± 0.3cm Hardness 20°~60° ±5° shore C are available

Colour All Colour available

Tri-Ball (Peanut Ball)

Model FE70-TMB01
Material EVA*&PE

Measures 24cm (L) x 78mm Diameter \pm 0.3cm Hardness 20° \sim 60° \pm 5° shore C are available

Colour All Colour available



Mini Point Roller

Model #FE091-MPR22

Material EVA*&PE

Measures (L) 20cm (L) x 7cm Diameter ± 0.3cm

Hardness 20°~60° ±5° shore C are available

Colour All Colour available



Oral Balance Pad

Model FE31-OBP001

Material TPE

Measures (L) $30cm (L) \times 18cm (W) \times 60mm (T) \pm 0.5cm$

Hardness 10° ±5° shore C are available

Colour Black · Blue · Grey



Model FE08-LSPS01

Material EVA&PE

Measures (L) 34cm (L) x 30cm (W) x 85mm (T) ± 0.3cm

Hardness 20°~55° ±5° shore C are available

Colour All Colour available

Yoga Wheel

Model FE20-YW001

Material EVA*&PE \ ABS Wheel

Measures (S): 13cm (W) x 16cm Diameter ± 0.3cm

(M): 26cm (W) \times 16cm Diameter \pm 0.3cm

(L): 35cm (W) x 16cm Diameter ± 0.3cm

Foam: 10mm (T) Wheel: 4mm (H)

Hardness 20°~60° ±5° shore C are available

Colour All Colour available





Model FE10-EFR001 Material EVA&PE

Measures 30~90cm in Length ×10~15cm in Diameter

Hardness 15°~45° ± 3° Shore C are available
Surface Embossed or Non-Embossed Pattern

Colour All Colour available



- Can be used for a variety of physical therapy or sports training applications.
- It is a great way to release stress and massage therapy.
- Excellent tools for rehabilitation, improving balance and body awareness and coordination.

Non-Embossed Texture Yoga Foam Roller



Model FE15-SSFR01 Material EVA&PE

Measures 30~90cm in Length X 15cm in Diameter

Hardness $15^{\circ} \sim 35^{\circ} \pm 3^{\circ}$ Shore C Colour All Colour available



Model FE16-SSFR01 Material EVA&PE

Measures 30~90cm in Length × 15cm in Diameter

Hardness 20°~35° ± 3° Shore C Colour All Colour available





Balance Pad (Athletic Mat)



Model # FE30-BP0001


Material EVA + Elastomer Also Called "TPE"

 Measures (L)
 40cm×50cm×58mm ±5mm

 Measures (M)
 40cm×48cm×58mm ±5mm

 Measures (S)
 35cm×40cm×63mm ±5mm

Hardness 5° ±3° Shore C



- Made by durable foam with coated surface to prevent the stickiness.
- Durable and latex free.

 Great to use for balance training, coordination, reaction training and motor-skill rehabilitation.

Trapezoid Athletic Beam (Balance Beam)





Model # FE01-000002

Material EVA + Elastomer Also Called "TPE"

Measures 1020mm(Length)×200mm(Wide-Side)×

130mm(Narrow-Side)×60mm(Height) ±5mm

Hardness 5° ±3° Shore C
Colour All Colours available

- Athletic Beam gives two different choices for exercise.
- Beginner can use the wide side down for greater stability or the advanced users can place the narrow side down for greater challenge.
- Can Be Custom Design.
- Unstable characteristic provide the lower and upper body great coordination and stabilization.

Yoga Brick Series

Model FE42-SYB401 Material EVA & PE

Small Measures $3 \text{ inch} \times 6 \text{ inch} \times 9 \text{ inch} \pm 2 \text{mm}$ Large Measures $4 \text{ inch} \times 6 \text{ inch} \times 9 \text{ inch} \pm 2 \text{mm}$

Hardness 15°~70° ± 3° Shore C Colour All Colour available

Edges Beveled Edges or Round Edges

Weight 350g

- The Yoga Brick is a perfect tool for additional support during transitions and poses.
- It can be used in all yoga levels.
- Helps increase flexibility level, deepen stretches, and achieve optimal body alignment.

Yoga Brick Series



Model FE43-RYB401

Material EVA & PE +30%~50%Rice Husk

Measures 21.5cm Diameter × 10cm +2mm

Hardness 25°~45° ± 3° Shore C Colour All Colour available

Edges Beveled Edges or Round Edges

Weight 400g



Model FE44-SYB301 Material 100% Cork

Measures 3 inch X 6 inch X 9 inch ±2mm

Hardness Beveled Edges

Weight 400g



Model FE46-HRYB01 Material EVA & PE

Measures 32.5cm × 11.5cm × 85mm ±2mm

Hardness 20°~50° ± 3° Shore C Colour All Colour available

Delta Brick

Model FE45-TYB003 Material EVA & PE

 $50 \text{cm} \times 15 \text{cm} \times 47/3 \text{mm} \pm 2 \text{mm}$ Measures

 $25^{\circ} \sim 50^{\circ} \pm 3^{\circ}$ Shore C Hardness Colour All Colour available



 Yogis with tight or problem wrists can use the wedge to alleviate overstretching or pressure on the joints in poses, such as downward-facing dog or upward bow.

Special Yoga Brick Series

Model

#FF43-SYB501

EVA*&PE Material

(S): $30cm (L) \times 20cm (W) \times 50mm (T) \pm 0.3cm$ Measures

> (M): $23cm (L) \times 13cm (W) \times 80mm (T) \pm 0.3cm$ (L): 30cm (L) x 17cm (W) x 120mm (T) $\pm 0.3cm$ (XL): 34cm (L) $\times 23cm$ (W) $\times 160mm$ (T) $\pm 0.3cm$

Hardness 20°~60° ±5° shore C are available

Colour All Colour available


EVA Massage Ball

Model FF90-MB0001 Material EVA & PE

Measures Diameter 5cm ~ 15cm±2mm

 $30^{\circ} \sim 50^{\circ} \pm 3^{\circ}$ Shore C Hardness All Colour available Colour










Model FE50-YM1001

Material TPE

60cm × 172~183cm × 3~12mm ±2mm Measures

15°~20° ± 3° Shore C Hardness Colour All Colour available



Suggest using the hand towel to clean the mat surface after using it.

 Multi-thickness can be customize, depend on personal needs, provide great usage, protect your body, or place on the floor to prevent the baby fall on the ground.

• TPE foam material provides great anti-slip ability and shock absorbing ability.

Anti-Slip Folding Yoga Mat

Model FF50-FYM081

TPE \ TC Mesh \ Damp Process PU Material

Measures $180cm (L) \times 60mm (W) \times 8mm (T) \pm 0.3cm$

Hardness 20°~25° ±5° shore C are available

Colour All Colour available
















POE Yoga Mat

Model FE51-YM0601

Material POE

Measures $60 \text{cm} \times 172 \sim 183 \text{cm} \times 3 \sim 10 \text{mm} \pm 2 \text{mm}$

Hardness 10°~20° ± 3° Shore C
Colour All Colour available



NBR Yoga Mat





Model FE53-YM1801

Material NBR

Measures $60 \text{cm} \times 172 \sim 183 \text{cm} \times 6 \sim 18 \text{mm} \pm 2 \text{mm}$

Hardness $10^{\circ} \sim 20^{\circ} \pm 3^{\circ}$ Shore C Colour All Colour available

Accessories Carrying Bag,



PVC & PER Yoga Mat




Model FE54-YM0501

Material PVC

Measures $60 \text{cm} \times 172 \sim 183 \text{cm} \times 3 \sim 5.5 \text{mm} \pm 0.2 \text{mm}$

Hardness $10^{\circ} \sim 15^{\circ} \pm 3^{\circ}$ Shore C Colour All Colour available



 Provide diversity sizes of yoga mat to choose; also we had carried many different types of foam materials. With our machinery, we can manufacture a lot of different type of foam products within any shape for you.

EVA Cobblestone Floor Interlocking Puzzle Mat

Model EX21-005001

Material EVA&PE

Measures $25\sim100\text{cm}\times25\sim100\text{cm}\times20\text{mm}$ Hardness $30^{\circ}\sim50^{\circ}\pm3^{\circ}$ Shore C are available

Colour All Colour available

Parttern Cobblestone & Shape Cone

Model EX22-003001(Cobblestone)

EX23-003001(Bubble)

Material EVA&PE

Measures $300 \text{cm} \times 30 \text{cm} \times 20 \text{mm}$

Hardness 30°~50° ± 3° Shore C are available

Colour All Colour available
Parttern Cobblestone Bubble



Stimulates the Acupuncture point and peripheral nerve on your foot to accelerate your blood circulation and helps to metabolize, which give you a better healthy life. Moderate Hardness of the foam material gives you a great comfort feel while you are step on the mat.

EVA Floor Interlocking Excerise Puzzle Mat

Ideal play area for children or doing exercise while protecting floor at same time.

 $\label{professional} \mbox{ Professional grade, shock absorbing, anti-fatigue foam floor.}$

Foam material is completely waterproof and will not absorb water.

Air Dry, avoiding the product under the sunlight for long time.

Available in various pre-selected sizes or create your own size.

Individual interlocking mat size: 30cm × 30cm.









Life Guard Rescue Tube

Model WS01-000001 Material EVA&PE

Measures $104 \text{cm} \times 14.5 \text{cm} \times 70 \text{mm}$

Hardness 15°~30° ± 3° Shore C are available

Colour All Colour available

Accessories 153cm webbing with Brass Fastener, 1.5 Yard Cotton rope, Straps

- Our best selling standard rescue tube is buoyant enough to support the full weight of a rescuer and several victims.
- The tube has a long leash that the lifeguard wears around the body to tow the tube along while swimming a long distance.
- The rescue tube is usually red, but can come of a variety of colors. Depend on the quantity.
- It can be print the words "Guard" or "Lifeguard" or your LOGO on them. The printing size is 20cm×14cm.
- Best used for pools, water parks, ocean or rough water rescues.

Life Guard Ring Buoy

Model WS05-000001 Material EVA&PE

Measures Outer Dia, 60cm Inner Dia, 33cm × 70mm

Hardness 20°~25° ± 3° Shore C are available

Colour All Colour available

Accessories Replaceable Encircling Rope

- A LifeBuoy, Ring Buoy, LifeRing, LifeSaver, Life Preserver or LifeBelt, also known as a "Kisby Ring" or "Perry Buoy", is a life saving buoy designed to be thrown to a person in the water, to provide buoyancy, to prevent drowning.
- LifeGuard Ring Buoy is suitable for use in swimming pools during emergencies. Due to it's
 made by EVA&PE Foam, which, when throwing them into a crowded pool, it won't have the
 potential harmful by injuring either the casualty or nearby pool users.



Model WS20-000001
Material EVA&PE

Measures 300mm×440mm×30mm


Hardness 15°~20° ± 3° Shore C are available

Colour All Colour available

- Our swimming kickboard (training aid) is made of eco scratch-resistant and non-abrasive closed-cell EVA foam.
- Embossed non-slip surface and ergonomically contoured design for extra comfort.
- Streamline shape and sealed edges design to cut through the water much better than other standard kickboards.
- Ridged channels help reduce drag.
- Excellent tool for providing added support and stabilization for developing proper posture, kicking techniques and building strength in legs.
- Extremely durable & Lightweigh.



Non-Embossed Swimming Kickboard (WS30-000001)




Swimming Buoyancy Belt (5 Piece) (WS14-000001)



Embossed Swimming Kickboard (WS22-000001)







4 Folding Mat

-olding wat


Model FE61-FM1201 Material IEPE (IXPE)

Measures 178cm in Length \times 58cm \times 10mm Hardness 15°~30° \pm 3° Shore C are available

Colour All Colour available



12 Folding Mat



Model FE61-FM1201 Material IEPE (IXPE)

Measures 178cm in Length \times 58cm \times 10mm Hardness 15° \sim 30° \pm 3° Shore C are available

Colour All Colour available

12 Folding Mat + Aluminum Foil

Model FE61-FMA1201


Material IXPE (25X) + Aluminum Foil

Measures $178cm (L) \times 58cm (W) \times 10mm (T) \pm 0.2cm$

Hardness 15°~30° ±5° shore C are available

Colour All Colour available





Foam Helmet

Material EVA&PE + Double Side Lycra Fabric


Small - 20 inch ~ 21 inch

Measures Medium - 21 inch -- 22 inch

Large - 22 inch - 23 inch

Hardness 20°-25° Shore C (Soft) & 28°-33° Shore C Hard

Colour All Colour available



 Conforms to CPSIA + California Proposition 65 Act – SGS Report # TH70263/2014 & TH70260/2014.





Football Helmet Foam Gasket

- · We are dedicated to product excellence and continuous innovation.
- · We'll faithfully make the product according to your requirement.
- We constantly exceed customer expectations by providing the greatest value and quality worldwide.

Reasonable prices, packing, logo and other specifications could be discussed.







Corner Guard Cushion L-shape (NBR)

Model EX50-CGCL01

Material NBR

Measures 5M in Length x 3cm width

Hardness 15°~20° ± 3° Shore C are available

Colour All Colour available



Corner Guard Cushion L-shape (EVA)

.

Model EX50-CGCL02

Material EVAxPE

Measures 100cm in Length × 5cm width Hardness 15°~35° ± 3° Shore C are available

Colour All Colour available



Wall Protection Foam Cushion



Model EX50-WPFC02

Material EVAxPE

Measures 100cm in Width x 200cm Length

Thickness 9mm-50mm

Hardness 20°-50° ± 3° Shore C are available

Colour All Colour available

Non toxic, soft to hard touch, durable and easy to clean


- Furniture friendly self-adhesive tape.
- · Dense, impact absorbent.
- Smooth surface, various color and types can be customized.
- Prevent bumps and bruise by adhering these cushions to areas in our house where needs protection. Especially design to ensure your child's safety. These edge cushions are simple to install, durable and reliable.



Magnetic Field Therapy

Acidic physique is a common problem of modern people. Increasing negative magnetic energy is good for health. When too much stress, too many electrical appliances and other factors, it may cause fatigue due to excessive positive magnetic energy.

Magnetic Field Therapy, also known as "Magnet Therapy" and "Magnetic Acupuncture Therapy", is to allow the magnetic field to act on certain parts or acupoints of the human body. Because of the permanent magnet (Neodymium Magnet), the magnetic field lines can penetrate deep into various parts of the human body. It is one of way to treat disease.





Improve blood circulation



Relieve swelling, heat and pain during acute attack of gout



Repair damaged cells



Improve sleep quality



Help relax



Speed up metabolism



Relieve systemic pain



Gel Magnetic Bra Pad

-



+ 4000 Gauss Magnet*2pcs

Dimension 11.5cm*5.5cm*20mm

Weight 50g ±5g

Colour Blue + Black (All colour available)





- Through the cycle of magnetic field can simulate gentle massage to achieve smooth circulation, relieve fatigue and regulate the physique, etc.
- Even if you don't use your hands, the magnetic cycle will continue to work itself.
 If you want better effects, you can press or tap the position of the magnet with both hands.
- Magnetic therapy can improve chest microcirculation, speed up blood circulation, dredge the Mammary gland, prevent and relieve mastitis, Fibroadenoma, lobular hyperplasia and breast cancer to a certain extent. At the same time, magnetic therapy can also improve the breasts.
- Magnetic therapy also play a very good role in regulating breast dysplasia, flatness and Breast ptosis.



High Blood Circulation Magnetic Energy Cushion

(Anti-mildew and Antibacterial Agent)

Material EVA&PE + Magnet

Dimension 96cm(L) x 45cm(W) x 18mm(T) + 4000 Gauss Magnet*18pcs

Foam Hardness 60° ±3° shore C (Hard)

50° ±3° shore C (Medium)

40° ±3° shore C (Soft)


Colour Customized

Available Colour: 500 pcs

MOQ Single Colour: 1000 pcs

Accessories none

Product Origin Made in Taiwan



- Magnetic field therapy can help regulate nerves, relieve mental and physical imbalances, prolong sleep time and improve insomnia.
- Permanent magnets can form a magnetic field, generate magnetism and penetrate the human body, improve microcirculation, and accelerate metabolism.

Lumbar Support Magnetic Energy Cushion

Material EVA&PE + Magnet

Dimension 34cm (L) x 30cm(W) x 8cm(T) + 4000 Gauss Magnet*6pcs

Foam Hardness Bottom Hardness: 20°±3°

Surface Hardness: 30°±3°

Colour Customized (All colour available)

MOQ Available Colour: 500 pcs

Single Colour: 1000 pcs

Accessories none

Product Origin Made in Taiwan



 Magnetic field therapy can balance the human body's electric field, regulate the state of autonomic nerves and brain function, and help stabilize emotions and relax the body and mind.

Open Thoracic & Spine Magnetic Energy Pad

Material TPE + Magnet

Dimension 36cmX15cmX60mm + 4000 Gauss Magnet*6pcs

Foam Hardness 10° ±5° shore C (Optional)

Colour Blue & Black (All Colour available)

MOQ Available Colour: 500 pcs

Single Colour: 1000 pcs

Accessories none

Product Origin Made in Taiwan



Enhance the vitality of blood cells, purify the blood, improve microcirculation, increase the
permeability of blood vessels and speed up blood flow, thereby promoting the absorption
and dissipation of inflammatory exudates.

Plantar Arch Magnetic Energy Massage cushion

Material EVA&PE + Magnet

Dimension 15cm(W) x 27cm(L) x 65mm(T) + 4000 Gauss Magnet 3pcs

Foam Hardness Bottom Hardness:35°±3°

Surface Hardness:50°±3°

Colour Customized

MOQ Available Colour: 500 pcs

Single Colour: 2000 pcs

Accessories none

Product Origin Made in Taiwan



 Because Magnetic Therapy can reduce the excitability of peripheral nerves and increase the breadth of pain, it has a good anti-inflammatory and analgesic effect.

Adjustable Magnetic Energy Massage Stick

Steel + EVA&PE+ PP + Magnet Material Stick: 33cm (L) x 7cm (Dia) ± 0.3cm Dimension

Wheel: 13cm(Dia.)*38mm(T)*2pcs

+ 4000 Gauss Magnet*8pcs

Weight 150g ± 20g

Foam Hardness 25° ±5° shore C (Optional)

Colour All Colour available


MOQ Available Colour: 500 pcs

Single Colour: 10000 pcs

Camouflage 20000 pcs

Accessories Wheel

Product Origin Made in Taiwan



 Far infrared rays can promote the circulation of blood, activate cells and water molecules in the body, and dredge blood vessels to improve the circulation of blood.

Gel (SEBS) Magnetic Energy Pad

Material Gel (SEBS) + Magnet + OK Fabric

OK Fabric (One Side) + 2mm NEOPRENE Dimension

+ T Nylon-Jersey (One Side)

+ 4000 Gauss Magnet 3pcs + Gel (SEBS)

Colour Black (All colour available)







FE094-TTMS001 Model Material EVA*&PE - PP - Steel

Measures 33cm (L) x 7cm Diameter ± 0.3cm Hardness 20°~25° ±5° shore C are available

All Colour available Colour



Tracheotomy Philadelphia Cervical Collar

PE (Zotefoam LD45) Material

Colour PINK

Dimension



Unit: inch

Size	Circumference of Neck	Height								
S	10-13	3 1/4 - 4 1/4 - 5 1/4								
M	13-16	3 1/4 • 4 1/4 • 5 1/4								
L	16-19	3 1/4 - 4 1/4 - 5 1/4								
XL	19 above	3 1/4 - 4 1/4 - 5 1/4								

Specification

- · Restricts cervical spine flexion, extension and rotation to promote patient recovery.
- Two-piece design enhances patient comfort.
- Conformance to the shoulder and mandible contour allows superior stability and comfort.
- Ventilation openings reduce heat and moisture.
- Maneuverable chin support for airway management.
- Water-resistant for bathing and agua-therapy.
- Easily customized for individual requirements.
- X-ray, CT and MRI lucent.
- Clean with mild soap and water.

Proper sizing of the Collar is important for patient immobilization and comfort. Always maintain the patient's head in neutral alignment. For directions follow a qualified healthcare provider's instructions.

Breathable Inpatient Care Bed Mattress

- 8cm EVA&PE Part is washable. Air Dry * avoiding the product under the sunlight for long time.
- · 3cm PU foam can not be wash and avoiding the material under the sunlight.
- 3cm P.O.E material can use to replace the PU foam for Incontinence, Bleeder or Special needs patient use.
- P.O.E material is washable. Air Dry, avoiding the product under the sunlight for long time.
- Foam Contains Eco-Friendly Anti-Bacterial and Mould resistance doses from Japan.
- Unique and integrate design similar to "pocket coil spring" design, but better air flow while the structures stays support the pressure and distribute it.
- For those who needs to lie on the bed for long time, it can reduce the body temperature, pressure centralized and prevent the Pressure ulcer; sores problems.
- Through the clinical trial test, the data shows it increase about 18.78% of the lumbosacral blood flow.



Material EVA & PE + PU Memory Foam + P.O.E

EVA Foam Measures 80~150cm x 197cm x 8cm PU Foam Measures 80~150cm x 197cm x 3cm

EVA&PE Density 40 kg±2.5kg PU Density 38kg ±2kg

Hardness 20°~30° ± 3° Shore C Colour All Colour available

Experimental results

	1 min	30 min	Relative Difference	value		
New	3131	31.17	-0.33	0.25		
nuttress	(5.22)	(4.49)	(1.50)			
Standard	21.73	24.94	2.61	0.0003		
mattens	(2.44)	(2.71)	(3.33)			

pair 1 fest : * g<0.0%; Unit: merifig 160s 2. Relative pressure charge of bullock measurement




Figure 7. Relative pressure change percentage

Interface pressure measurement

Table 2 shows the relative interface pressure change on the buttock over the entire measurement period.

Though the new passive mattress had a higher interface pressure, the relative interface pressure change showed a minor decrease. We can see that relative interface pressure difference increased significantly over time (Table 2). The relative change percentage was -0.7%. In comparison with the standard mattress, the relative change percentage was 12% (Fig.7).1min

Subcutaneous blood flow measurement

Table 3 shows the relative subcutaneous blood flow change under the sacrum over the entire measurement period. With the new passive mattress, blood flow perfusion increased over time. However, the relative blood flow change in both mattresses was not significant.

The relative change percentage in the new mattress (18.78%) was higher than that in the standard mattress (2.32%) (Fig.8).

	I min	30 min	Relative Difference	velve			
New	26.22	29.79	3.58	0.13			
mutterns	(8.92)	(15.34)	(12.12)				
Standard	29.27	26.32	-0.95	0.74			
mattens	(9.69)	(16-67)	(15.69)				

pair t test. : 1 pv0:05; Unit: AU Tube I. Nobes blood flow change of secret measurer




Figure 8. Relative blood flow change percentage

 Lian Hong could provide many different softness levels of foam to meet custom needs and can ensure everyone to have nice and comfortable sleeps and sweet dreams of the user.

Powered Multipurpose Heating Support

Powered Multipurpose Heating Support

Material

OK Fabric (One Side) + 2mm NEOPRENE + T Nylon-Jersey (One Side)
OK Fabric (One Side) + 2mm SPONPRENE + T Nylon-Jersey (One Side)

Dimension



Control DC 5V Output,3 heating level control,

30 minute timing auto shutdown

Temperature LOW 35°C - MEDIUM 40°C - HIGH 45°C

Power Consumption LOW 35% Output

MEDIUM 65% Output

HIGH 100% Output

Working Voltage Suitable for 3.7V \cdot 5 V \cdot 7.4V \cdot 9V \cdot 12V / 1A~3A \cdot

Power Computer USB port . Car's USB port . PowerBank . Cellphone etc...

Weight 230g ± 10g Colour Black

- Using advance Metal heating film technology to make the flexible electrical circuit heating plate, within ergonomic design support, it can comfortably attach to your body.
- The Multipurpose Heating Support can be powered by any 5V output socket, which is very safe and portable to use. You can use it almost everywhere and anytime.
- 5V USB connection connect directly to the Laptop while you're working or in the car while you're driving.
- The Multipurpose Heating Support can equally distribute the heat and penetrate through the hypodermis. effectively improve blood circulation on the position where you apply to and relieve the pain or pressure.



Episodes of acute pain are very common, but experts say that medical investigations only make thing worse, the traditional way to cure is often to take painkillers, exercise gently and wait for the pain to pass.

Use Heating support, you can soothes tried or sore muscles - prevent or cure your limbs and body pain effectively and easily.

Za+01-0-00-00-000

	DATE FIRST IND		200	55.0 200 TYPE F 35.6 250	40.0 200 55.0 200 TYPE F 30.6 200	25.6 200 40.6 200 55.6 200 TYPE F 35.6 200	30-38 130 3346 300 4043 300 TYPE F 3546 200	15-20 190 30-25 120 25-6 200 40-6 200 TYPE F 35-6 200	15-20 100 30-35 130 30-45 300 40-40 300 66-40 300	Hurdreess Etergation (*) (%) 32-25 102 15-20 100 30-25 110 30-25 110 30-25 120 30-25 120 30-25 120 30-25 120 30-25 120	15-20 150 Hurdress Elongation Ridio (*) (%) 30-25 102 15-20 190 30-25 120 707E F 30-5 200	6-15 250 15-20 150 Hardness Elergation (*) (%) 33-20 150 35-25 120 35-25 120 70/PE F 30-5 250	25-25 250 5-15 250 15-20 150 Hardress Rado (*) (%) 32-25 150 35-25 150 35-25 150 707E F 30-5 250	15-20 300 15-20 300 15-20 15-20 15-20 150 15-20 150 15-20 150 15-20 150 15-20 150 170PE F 30-5 300	6-15 350 15-40 350 15-40 350 15-40 150 15-40 150	16-22 200 6-15 300 15-20 300 15-20 300 6-15 200 15-20 150 15-20 150 15-20 150 20-25 15	TYPE F 2045 >40 16-22 350 6-15 350 15-20 350 6-15 250 6-15 250 15-20 150 15-20 150 15-20 150 15-20 150 15-20 150 15-20 150 17PE F 3045 250	50-65 200 ThypE # 2346 >+10 16-22 200 6-15 300 15-40 300 6-15 200 15-40 100 15-40 100 15-40 100 15-40 100 15-40 100 15-40 100 15-40 100 15-40 100 15-40 100 15-40 100 15-40 100 15-40 100 15-40 100 15-40 100 15-40 100	45-00 100 50-65 200 TripE # 2346 >10 16-22 200 15-40 300 15-40 300 15-40 110 15-40 110 15-40 110 15-40 110 15-40 110 15-40 110 15-40 110 15-40 110 15-40 110 15-40 110 15-40 110 15-40 110 15-40 110	40-45 240 46-40 190 50-65 200 Thirtier 2045 350 6-15 250 50-65 350 6-15 250 115-20 150 115-20 150 115-20 150 115-20 150 115-20 150 115-20 150 115-20 150 115-20 150 115-20 150 115-20 150 115-20 150 115-20 150	1 30-35 300 40-45 340 50-65 300 709E F 2045 340 16-22 350 15-20 350 15-20 350 15-20 150 150 150 150 150 150 150 150 150 150	30-35 120 30-35 200 40-45 200 10-22 200 110-22 200 110-22 200 110-23 200 110-23 200 110-25 200 110-25 200 110-26 200 110-26 200 110-27 200 110-	30-35 350 30-35 120 30-35 200 40-41 200 50-35 200 10-22 200 10-22 200 10-45	15-20 190 20-28 200 20-28 200 40-45 200 46-40 190 10-22 200 10-22 200 10-15 200 10-15 200 10-15 200 10-20 190 10-20
	1545 100 1.5	266 250 3.5		200 14.0	M 16	8 8 8	8888	8 8 8 8 8	8 8 8 8 8	Reputer Respector Respector Res	100 September 10	Etropyston 150 Natio	BESSER Republic	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	20 20 20 20 20 20 20 20 20 20 20 20 20 2	250 250 250 250 250 250 250 250 250 250	200 100 100 100 100 100 100 100 100 100	Economic Section 1999 1999 1999 1999 1999 1999 1999 19	Emples Services	8 8 8 8 8 8 28 9 9 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 28 9 9 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 288 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 2 8 8 8 8 8 8 8 8 8 8 8 8 8	Electric
16 B	200 3.0	100	200 14.0							Tansile Strength (agricung) 15 15 15 170 170	Tomate Strength (agriculty)	5.0 4.0 Tornito Shungh (laplered) 1.5 3.5 3.5	12.0 5.0 4.0 Thresho Shareigh Higherical 1.5 1.5	7.0 12.0 5.0 4.0 Tansile Strength (legioniz) 1.5	7.0 12.0 5.0 4.0 Tansia Strugth (lightenic) 1.5	2.0 17.0 17.0 17.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2	2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0	19.0 9.1 8.0 7.0 12.0 5.0 4.0 12.0 Shungh (agend) 13.5	14.5 19.0 9.1 8.0 12.0 5.0 4.0 12.0 5.0 12.0 13.0 13.0 13.0	10.5 11.5 11.0 0.1 0.1 0.0 12.0 12.0 12.0 12.0 12	10.5 10.5 10.5 10.6 10.6 10.6 10.6 10.6 10.6 10.6 10.6	15 15 15 15 15 15 15 15 15 15 15 15 15 1	3.5 5.6 10.5 10	15 15 15 10 10 10 10 10 10 10 10 10 10
5 5 5	12	1.5		1.5		13	13 13	5 5 5	5 5 5 5	×9.														
			0.8	0.8	0.5		8	0.5	2 2 2	202														
N N S	n s			3	3		is is		5	Comp														
7 7 7 20 20 22 22	2 34	3 350		3 310	270	9	157																	
7 A P	346	- Control	250,000	310,00	270,00	57,0		2463	3460	Density (Agénd)	Density (kg/m3)	Derreity (ng/erd)	300x30 200x30 130x30 130x30 140x3 34x3	200.00 300.00 200.00 10	200-20 200-20 200-20 200-20 200-20 100-20 100-20 100-20 100-20 100-20 24-2	80x10 20x20 20x20 20x20 30x20 20x20 50x20	9.5a1.5 80.40 200.20 200.20 200.20 200.20 100.20 100.20 100.20 100.20 100.20	135.6 9.541.5 80.10 200.00 200.00 200.00 300.00 100.00 100.00 100.00 100.00 100.00 100.00	110.6 136.6 9.61.5 80.10 200.20 200.20 300.20 100.20 100.20 100.20 100.20 100.20	9045 11046 9,541.5 804.0 20040 20040 20040 10040 10040 10040 10040 10040	8045 11046 11046 11046 10040 2	57-a 80-a 80-a 110-a 110-a 110-a 110-a 110-a 100-a 100-a 200-a 200	4643 5743 8046 10045 11046 110	2443 5743 6046 6046 11046 11046 11046 11046 11046 11046 10040 10040 20040 20040 20040 1004
						0.01		0.01	0.01	Wisser Absorption (g/m3) o.on	Without Authoritischer (gehad) 0.01	Outil	Malar Whater Absorption (g/m3)	0.01 0.01 0.01 0.01 Whate Absorption (g/mg)	upi upi upi upi upi upi upi upi Absorption (girid)	0.01 0.01 0.01 0.01 0.01 0.01 Whate Absorption (g/md)	0.07 0.01 0.01 0.01 0.01 0.01 0.01 0.01	0.01 0.97 0.01 0.01 0.01 0.01 0.01 Whate Absorption (g/md)	0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01
						В		ь	8 B	Brinkage	a a 2 granding a	a a 2 Shakada a a	s s Shake s s s	ss 2 mag sss	8 8 2 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	ss 200 ssss	as 200 as as a sign	B B 2 Oper B B B B B B B B B	B B 2 OF B B B B B B B B B B B B B B B B B B	8 to 2000 6 to 5 to 5 to 5 to 5 to 5	8 the state of the	as 200 as as a signal as a	8 5 2 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 2 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
						<10^12		< 10*12	<10% 4.10%	Surface Resistance Radio (D) <10/12	Surface Passistance Radio (D) < 10/12	Surface Resistance Radio (D) < 10/12	Surface Resistance Ratio (D) < 10%	Surface Resistance Ratio (D) < 10%	Surface Resistance Ratio (D) < 10%	Surface Resistance Ratio (ID) < 10%	Surfaces Resistance Resistance Ratio (D) < 1015	Surface Resistance Ratio (D) < 1015	Surfaces Resistance Ratio (D) < 10*12	Surface Resistance Ratio (D) < 10°12	Surface Resistance Ratio (D) < 10%	UL-94V0 UL-94V0 Flavoration Fl	UL-99VO UL-99VO Flaviostario Flaviostario (ID) < 10°12	Surfaces Resistance Placestance (D) < 1042

List of Major Processing Machinery

劈片機一台(寬度150cm,厚度1~100mm)

Horizontal Slice Cutting Station x1 (150cm width, 1-100mm Thickness)

熱熔貼合機一台(寬度150cm,高度3~300mm)

Horizontal Hot-Melting Bonding Machine (150cm Width and 3-300mm in High)

直切機二台

Vertical Cutting Station x2

國型抽條機四台(直徑1 inch~6 inch)

Rounded Shape Cutting Machine x4 (1 inch-6 inch Diameter)

CNC研磨加工機一台

CNC Grinding Machine x1.

CNC 3D切削機一台

CNC Cutting Machine x1

CNC線切割機一台

CNC Horizontal Wire Cutting Machine x1

純熱壓成型機6台 (50cm×50cm×18個成型臺面)

Heat Compression Molding Machine x6 (50cm × 50cm 18 Molding Stations)

冷熱壓成型機2台(60cm×100cm×4個成型裏面)

Heat&Cold Compression Molding Machine x2 (60cm × 100cm 4 Molding Stations)

冷熱壓成型機1台 (60cm×150cm×2個成型臺面)

Heat&Cold Compression Molding Machine x1 (60cm × 150cm 2 Molding Stations)

冷熱壓成型機1台 (80cm×180cm×2個成型臺面)

Heat&Cold Compression Molding Machine x1 (80cm × 180cm 2 Molding Stations)

冷熱壓成型機1台 (130cm×230cm×2個成型臺面)

Heat&Cold Compression Molding Machine x1 (130cm × 230cm 2 Molding Stations)

精密成型機一台

Precision Heat&Cold Compression Molding Machine x1

多型體研磨加工機二台

Mutli-Model Grinding Machine x2

裁斷機三台

Stamping Cutter Machine x3

半自動印刷機一台

Semi-Automatic Printing Machine x1

半自動烙印機一台

Semi-Automatic Hot Stamp Emboss Machine x1